

GEN 0.6 TABLE OF CONTENTS TO PART 1

GEN 0.1	PREFACE	GEN 0.1-1
GEN 0.2	RECORD OF AIP AMENDMENTS	GEN 0.2-1
GEN 0.3	RECORD OF CURRENT AIP SUPPLEMENTS	GEN 0.3-1
GEN 0.4	CHECKLIST OF AIP PAGES	GEN 0.4-1
GEN 0.5	LIST OF HAND AMENDMENTS TO THE AIP	GEN 0.5-1
GEN 0.6	TABLE OF CONTENTS TO PART 1	GEN 0.6-1
GEN 1 National Regulations and Requirements		
GEN 1.1	Designated authorities	GEN 1.1-1
GEN 1.2	Entry, transit and departure of aircraft	GEN 1.2-1
GEN 1.3	Entry, transit and departure of passengers and crews	GEN 1.3-1
GEN 1.4	Entry, transit and departure of cargo	GEN 1.4-1
GEN 1.5	Aircraft instruments, equipment and flight documents	GEN 1.5-1
GEN 1.6	Summary of national regulations and international agreements/conventions	GEN 1.6-1
GEN 1.7	Difference from ICAO standards, recommended practices and procedures	GEN 1.7-1
GEN 2 Tables and Codes		
GEN 2.1	Measuring system, aircraft markings, holidays	GEN 2.1-1
1	Units of measurement	GEN 2.1-1
2	Time system	GEN 2.1-1
3	Geodetic reference datum	GEN 2.1-1
4	Aircraft nationality and registration marks	GEN 2.1-1
5	Public holidays	GEN 2.1-1
GEN 2.2	Abbreviation used in AIS publications	GEN 2.2-1
GEN 2.3	Chart symbols	GEN 2.3-1
GEN 2.4	Location indicators	GEN 2.4-1
GEN 2.5	List of radio navigation aids	GEN 2.5-1
GEN 2.6	Conversion table	GEN 2.6-1
GEN 2.7	Sunrise/Sunset tables	GEN 2.7-1
GEN 3 Services		
GEN 3.1	Aeronautical Information Services	GEN 3.1-1
1	Responsible service	GEN 3.1-1
2	Area of responsibility	GEN 3.1-1
3	Aeronautical publication	GEN 3.1-1
4	AIRAC system	GEN 3.1-3
5	Pre-flight information service at aerodromes	GEN 3.1-4
GEN 3.2	Aeronautical charts	GEN 3.2-1
1	Responsible services(s)	GEN 3.2-1
2	Maintenance of charts	GEN 3.2-1
3	Purchase arrangements	GEN 3.2-1
4	Aeronautical chart series available	GEN 3.2-1
5	List of aeronautical chart series available	GEN 3.2-2
GEN 3.3	Air Traffic Services	GEN 3.3-1
1	Responsible Service	GEN 3.3-1
2	Area of Responsibility	GEN 3.3-1
3	Type of Services	GEN 3.3-1
4	Co-ordination between the operator and ATS	GEN 3.3-2
5	Minimum flight altitude	GEN 3.3-2
6	ATS Unit address list	GEN 3.3-2
GEN 3.4	Communication Services	GEN 3.4-1
1	Responsible service	GEN 3.4-1
2	Area of responsibility	GEN 3.4-1
3	Type of services	GEN 3.4-1
4	Requirements and conditions	GEN 3.4-2

GEN 3.5	Meteorological Services	GEN 3.5-1
1	Responsible service(s)	GEN 3.5-1
2	Area of responsibility	GEN 3.5-1
3	Meteorological observations and reports	GEN 3.5-1
4	Types of service	GEN 3.5-1
5	Notification required from operators	GEN 3.5-1
6	Aircraft reports required from operators	GEN 3.5-1
GEN 3.6	Search and Rescue	GEN 3.6-1
1	Responsible service(s)	GEN 3.6-1
2	Area of responsibility	GEN 3.6-1
3	Types of service	GEN 3.6-1
4	SAR agreements	GEN 3.6-1
5	Conditions of availability	GEN 3.6-2
6	Procedures and signals used	GEN 3.6-2
GEN 4	Charges for Aerodromes/Heliports and Air Navigation Services	
GEN 4.1	Aerodrome Charges	GEN 4.1-1
1	Landing of aircraft	GEN 4.1-1
2	Parking, hangar age and long-term storage of aircraft	GEN 4.1-1
3	Passenger service	GEN 4.1-1
4	Exemptions and Reductions	GEN 4.1-2
5	Methods of payment	GEN 4.1-2
GEN 4.2	Air Navigation Services Charges	GEN 4.2-1

GEN 2 Tables and Codes

GEN 2.1 MEASURING SYSTEM, AIRCRAFT MARKINGS, HOLIDAYS

1 Units of measurement

The table of units of measurement shown below will be used by aeronautical stations within Yangon FIR for air and ground operations.

<i>For measurement of</i>	<i>Units used</i>
Distance used in navigation, position reporting, etc., generally in excess of 2 to 3 nautical miles	NAUTICAL MILES AND TENTHS
Relatively short distances such as those relating to aerodromes (e.g. runway lengths)	METRES OR FEET
Altitudes, elevations and heights	METRES OR FEET
Horizontal speed including wind speed	KNOTS
Vertical speed	FEET PER MINUTE OR METRES PER SECOND
Wind direction for landing and take-off	DEGREES MAGNETIC
Wind direction except for landing and take-off	DEGREES TRUE
Visibility, including runway visual range	KILOMETRES OR METRES
Altimeter setting	HECTO PASCAL
Temperature	DEGREES CELSIUS
Mass	METRIC TONS OR KILOGRAMMES
Time	HOURS AND MINUTES, THE DAY OF 24 HOURS BEGINNING AT MIDNIGHT UTC

2 Time system

Coordinated Universal Time (UTC) is used by air navigation services and in publications issued by the Aeronautical Information Services. Reporting of time is expressed to the nearest full minute, e.g., 12 hr. 40 min. 40 sec. is reported as 1241. Local time is **6 1/2 hours ahead of UTC** in Myanmar. Time checks to aircraft are accurate to within 30 seconds.

3 Geodetic reference datum

3.1 Name / designation of datum

All published geographical coordinates in the Yangon FIR indicating latitude and longitude are expressed in terms of the World Geodetic System – 1984 WGS-84 geodetic reference datum.

3.2 Area of application

The area of application for the published geographical coordinates coincides with the area of responsibility of the Aeronautical Information Services, i.e. the entire territory of Myanmar as well as the airspace over the high seas encompassed by the Yangon Flight Information Region in accordance with the regional air navigation agreement.

4 Aircraft nationality and registration marks

The nationality mark for aircraft registered in the Republic of the Union of Myanmar are the letters XY. The nationality mark is followed by a hyphen and a registration mark consisting of 3 letters e.g XY-ADW.

5 Public holidays

<i>Name</i>	<i>Date</i>			<i>Day</i>
Independence Day	4	January	2017	Wednesday
Union Day	12	February	2017	Sunday
Peasant's Day	2	March	2017	Thursday
Full Moon Day of Tabaung	12	March	2017	Sunday
Armed Forces Day	27	March	2017	Monday
New Year Holiday	12	April	2017	Wednesday
Water Festival	13-16	April	2017	Thursday - Sunday

Name	Date			Day
Myanmar New Year Day	17	April	2017	Monday
New Year Holidays	18-21	April	2017	Tuesday - Friday
May Day	1	May	2017	Monday
Full Moon Day of Kason	10	May	2017	Wednesday
Beginning of Buddhist Lent	8	July	2017	Saturday
Martyrs' Day	19	July	2017	Wednesday
End of Buddhist Lent	5	October	2017	Thursday
Lighting Festival	3	November	2017	Friday
National Day	13	November	2017	Monday
Karean New Year	18	December	2017	Monday
Christmas Day	25	December	2017	Monday
Depawali	*			
Idul Athw aha	*			

* The date will be notified later in due course.

GEN 2.7 SUNRISE/SUNSET TABLES

1 The sunrise/sunset table has been prepared by the Meteorological Service of Myanmar and is reproduced here with permission. The table represents the Yangon International Airport being served by the Myanmar air traffic services.

2 The times in the table are given in Local Mean Time for sunrise (SR) and sunset (SS) for the year 2017.

Sunrise / Sunset Table for the Year 2017

Month Day	Jan		Feb		Mar		Apr		May		Jun	
	SR	SS	SR	SS	SR	SS	SR	SS	SR	SS	SR	SS
1	0610	1807	0612	1825	0558	1836	0535	1842	0515	1849	0506	1859
2	0610	1808	0611	1826	0558	1836	0535	1843	0515	1849	0506	1900
3	0610	1808	0611	1826	0557	1837	0534	1843	0514	1850	0506	1900
4	0611	1809	0611	1827	0556	1837	0533	1843	0514	1850	0506	1900
5	0611	1810	0611	1827	0556	1837	0532	1843	0513	1850	0506	1901
6	0611	1810	0610	1828	0555	1837	0531	1843	0513	1850	0506	1901
7	0611	1811	0610	1828	0554	1838	0531	1843	0512	1851	0506	1901
8	0612	1811	0610	1829	0554	1838	0530	1844	0512	1851	0506	1902
9	0612	1812	0609	1829	0553	1838	0529	1844	0511	1851	0506	1902
10	0612	1813	0609	1830	0552	1838	0529	1844	0511	1852	0506	1902
11	0612	1813	0608	1830	0551	1838	0528	1844	0511	1852	0506	1903
12	0612	1814	0608	1830	0551	1839	0527	1844	0510	1852	0506	1903
13	0613	1815	0607	1831	0550	1839	0526	1845	0510	1853	0507	1903
14	0613	1815	0607	1831	0549	1839	0526	1845	0509	1853	0507	1903
15	0613	1816	0607	1832	0548	1839	0525	1845	0509	1853	0507	1904
16	0613	1816	0606	1832	0548	1839	0524	1845	0509	1854	0507	1904
17	0613	1817	0606	1832	0547	1840	0524	1845	0509	1854	0507	1904
18	0613	1818	0605	1833	0546	1840	0523	1846	0508	1854	0507	1905
19	0613	1818	0604	1833	0545	1840	0522	1846	0508	1855	0508	1905
20	0613	1819	0604	1833	0545	1840	0522	1846	0508	1855	0508	1905
21	0613	1819	0603	1834	0544	1840	0521	1846	0508	1855	0508	1905
22	0613	1820	0603	1834	0543	1841	0520	1847	0507	1856	0508	1905
23	0613	1820	0602	1834	0542	1841	0520	1847	0507	1856	0508	1906
24	0613	1821	0602	1835	0542	1841	0519	1847	0507	1856	0509	1906
25	0613	1822	0601	1835	0541	1841	0518	1847	0507	1857	0509	1906
26	0613	1822	0600	1835	0540	1841	0518	1848	0507	1857	0509	1906
27	0613	1823	0600	1836	0539	1841	0517	1848	0507	1858	0509	1906
28	0612	1823	0559	1836	0538	1842	0517	1848	0506	1858	0510	1906
29	0612	1824			0538	1842	0516	1848	0506	1858	0510	1907
30	0612	1824			0537	1842	0516	1849	0506	1859	0510	1907
31	0612	1825			0536	1842			0506	1859		

Month Day	Jul		Aug		Sep		Oct		Nov		Dec	
	SR	SS	SR	SS	SR	SS	SR	SS	SR	SS	SR	SS
1	0511	1907	0520	1902	0527	1843	0530	1818	0538	1758	0553	1754
2	0511	1907	0521	1901	0527	1842	0531	1818	0539	1758	0554	1754
3	0511	1907	0521	1901	0527	1841	0531	1817	0539	1758	0555	1755
4	0511	1907	0521	1900	0527	1840	0531	1816	0539	1757	0555	1755
5	0512	1907	0521	1900	0527	1840	0531	1815	0540	1757	0556	1755
6	0512	1907	0522	1900	0527	1839	0531	1814	0540	1756	0556	1755
7	0512	1907	0522	1859	0528	1838	0531	1814	0541	1756	0557	1756
8	0513	1907	0522	1859	0528	1837	0532	1813	0541	1756	0557	1756
9	0513	1907	0522	1858	0528	1836	0532	1812	0542	1756	0558	1756
10	0513	1907	0523	1857	0528	1836	0532	1811	0542	1755	0559	1756
11	0514	1907	0523	1857	0528	1835	0532	1811	0543	1755	0559	1757
12	0514	1907	0523	1856	0528	1834	0532	1810	0543	1755	0600	1757
13	0514	1907	0523	1856	0528	1833	0533	1809	0543	1755	0600	1758

Month	Jul		Aug		Sep		Oct		Nov		Dec	
14	0515	1907	0524	1855	0528	1832	0533	1809	0544	1754	0601	1758
15	0515	1906	0524	1855	0528	1831	0533	1808	0544	1754	0602	1758
16	0515	1906	0524	1854	0529	1831	0533	1807	0545	1754	0602	1759
17	0516	1906	0524	1853	0529	1830	0534	1807	0546	1754	0603	1759
18	0516	1906	0524	1853	0529	1829	0534	1806	0546	1754	0603	1800
19	0516	1906	0525	1852	0529	1828	0534	1805	0547	1754	0604	1800
20	0517	1906	0525	1851	0529	1827	0534	1805	0547	1754	0604	1801
21	0517	1905	0525	1851	0529	1826	0535	1804	0548	1754	0605	1801
22	0517	1905	0525	1850	0529	1826	0535	1804	0548	1754	0605	1802
23	0518	1905	0525	1849	0529	1825	0535	1803	0549	1754	0606	1802
24	0518	1905	0526	1849	0530	1824	0535	1802	0549	1754	0606	1803
25	0518	1904	0526	1848	0530	1823	0536	1802	0550	1754	0607	1803
26	0519	1904	0526	1847	0530	1822	0536	1801	0550	1754	0607	1804
27	0519	1904	0526	1846	0530	1822	0536	1801	0551	1754	0608	1804
28	0519	1903	0526	1846	0530	1821	0537	1800	0552	1754	0608	1805
29	0519	1903	0526	1845	0530	1820	0537	1800	0552	1754	0608	1805
30	0520	1903	0526	1844	0530	1819	0538	1759	0553	1754	0609	1806
31	0520	1902	0527	1843			0538	1759			0609	1806

VYKP — KYAUKPYU

*Note: The following sections in this chapter are intentionally left blank:
AD 2.15, AD 2.16, AD 2.21, AD 2.22, AD 2.23.*

VYKP AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VYKP — KYAUKPYU

VYKP AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	192535.57N 0933204.86E
2	Direction and distance from city	1.6 KM West of town
3	Elevation/Reference temperature	4.1 M (13.57 FT)/Nil
4	Geoid undulation at ARP	-48 M
5	MAG VAR/Annual change	1° W (1956)/annual change negligible
6	AD Administration, address, telephone, telefax, telex, AFS	DEPARTMENT OF CIVIL AVIATION Post: Kyaukpyu airport, KYAUKPYU RAKHINE STATE MYANMAR Tel: 95 43 46014 AFTN: VYKPYDYX
7	Types of traffic permitted (IFR/VFR)	IFR/VFR
8	Remarks	Nil

VYKP AD 2.3 OPERATIONAL HOURS

1	AD Administration	HO
2	Customs and immigration	HS
3	Health and sanitation	Health: Nil Sanitation: Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office (ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	HO
8	Fuelling	Nil
9	Handling	Nil
10	Security	Nil
11	De-icing	Nil
12	Remarks	Nil

VYKP AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Nil
2	Fuel/oil types	Fuel: Nil Oil: Nil
3	Fuelling facilities/capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

VYKP AD 2.5 PASSENGER FACILITIES

1	Hotels	Nil
2	Restaurants	Available in airport compound
3	Transportation	Nil
4	Medical facilities	Nil
5	Bank and Post Office	Bank: Nil Post: Nil
6	Tourist Office	Nil
7	Remarks	Nil

VYKP AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 2
2	Rescue equipment	CAT 2
3	Capability for removal of disabled aircraft	Nil
4	Remarks	Nil

VYKP AD 2.7 SEASONAL AVAILABILITY — CLEARING

There is no requirement for clearing as the aerodrome is available throughout the year.

VYKP AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength and area	Surface: Bitumen Strength: 20,412 kg Area: 91 M x 61 M
2	Taxiway width, surface and strength	Nil
3	ACL location and elevation	Nil
4	VOR checkpoints	Nil
5	INS checkpoints	Nil
6	Remarks	Nil

VYKT — KAWTHOUNG

*Note: The following sections in this chapter are intentionally left blank:
AD 2.16, AD 2.21, AD 2.22, AD 2.23.*

VYKT AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VYKT — KAWTHOUNG

VYKT AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	100258.54N 0983217.25E
2	Direction and distance from city	4 KM East of city
3	Elevation/Reference temperature	12.4 M (41 FT)/31.9°C
4	Geoid undulation at ARP	-28 M
5	MAG VAR/Annual change	1° W (1956)/annual change negligible
6	AD Administration, address, telephone, telefax, telex, AFS	DEPARTMENT OF CIVIL AVIATION Post: Kawthoung airport KAWTHOUNG TANINTHARYI DIVISION Tel: 95 59 51018 - 95 59 51016 AFTN: VYKTYDYX
7	Types of traffic permitted (IFR/VFR)	IFR/VFR
8	Remarks	Nil

VYKT AD 2.3 OPERATIONAL HOURS

1	AD Administration	HO
2	Customs and immigration	HS
3	Health and sanitation	Health: Nil Sanitation: Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office (ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	HO
8	Fuelling	Nil
9	Handling	Nil
10	Security	Nil
11	De-icing	Nil
12	Remarks	Nil

VYKT AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Baggage Trolleys / Carts
---	----------------------------------	--------------------------

2	Fuel/oil types	Fuel: A1, JET Oil: Nil
3	Fuelling facilities/capacity	Bowser to Dispenser Unit/Depot Capacity 23000 IGs. Jet.A-1 delivered by dispenser with engine pump 25 GPM. Bowser Capacity 750 IGs (Imperial gallon) Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

VYKT AD 2.5 PASSENGER FACILITIES

1	Hotels	Nil
2	Restaurants	Available in airport compound
3	Transportation	Taxi and bus services available
4	Medical facilities	Hospital in town
5	Bank and Post Office	Bank: Nil Post: Nil
6	Tourist Office	Nil
7	Remarks	Nil

VYKT AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 3
2	Rescue equipment	CAT 3
3	Capability for removal of disabled aircraft	TBN
4	Remarks	Nil

VYKT AD 2.7 SEASONAL AVAILABILITY — CLEARING

There is no requirement for clearing as the aerodrome is available throughout the year.

VYKT AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength and area	Surface: Asphalt Concrete Strength: 60,781 kg Area: 274 M x 76 M
2	Taxiway width, surface and strength	Nil
3	ACL location and elevation	Nil
4	VOR checkpoints	Nil
5	INS checkpoints	Nil
6	Remarks	Nil

VYKU — KYAUKTU

*Note: The following sections in this chapter are intentionally left blank:
AD 2.15, AD 2.16, AD 2.21, AD 2.22, AD 2.23, AD 2.24.*

VYKU AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VYKU — KYAUKTU

VYKU AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	212400.00N 0940800.00E Centre of runway centre line
2	Direction and distance from city	South of Kyauktu Sub-Township
3	Elevation/Reference temperature	380.9 M (1249 FT)/Nil
4	Geoid undulation at ARP	Nil
5	MAG VAR/Annual change	1° W (1956)/annual change negligible
6	AD Administration, address, telephone, telefax, telex, AFS	DEPARTMENT OF CIVIL AVIATION Post: Kyauktu airport KYAUKTU MAGWAY DIVISION Tel: 09-65 65624 AFTN: VYKUYDYX
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	Nil

VYKU AD 2.3 OPERATIONAL HOURS

1	AD Administration	HO
2	Customs and immigration	Nil
3	Health and sanitation	Health: Nil Sanitation: Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office (ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	
8	Fuelling	Nil
9	Handling	Nil
10	Security	Nil
11	De-icing	Nil
12	Remarks	Nil

VYKU AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Nil
---	----------------------------------	-----

2	Fuel/oil types	Fuel: Nil Oil: Nil
3	Fuelling facilities/capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

VYKU AD 2.5 PASSENGER FACILITIES

1	Hotels	Nil
2	Restaurants	Nil
3	Transportation	Nil
4	Medical facilities	Nil
5	Bank and Post Office	Bank: Available in city Post: Nil
6	Tourist Office	Nil
7	Remarks	Nil

VYKU AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 2
2	Rescue equipment	CAT 2
3	Capability for removal of disabled aircraft	Nil
4	Remarks	Nil

VYKU AD 2.7 SEASONAL AVAILABILITY — CLEARING

There is no requirement for clearing as the aerodrome is available throughout the year.

VYKU AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength and area	Surface: Concrete Strength: 395,987 kg Area: 91 M x 91 M
2	Taxiway width, surface and strength	Nil
3	ACL location and elevation	Nil
4	VOR checkpoints	Nil
5	INS checkpoints	Nil
6	Remarks	Nil

VYMD — MANDALAY INTERNATIONAL

Note: The following sections in this chapter are intentionally left blank:
AD 2.16, AD 2.21, AD 2.23.

VYMD AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VYMD — MANDALAY INTERNATIONAL

VYMD AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	214203.86N 0955838.84E Centre of runway centre line
2	Direction and distance from city	30 KM South-West of Mandalay city
3	Elevation/Reference temperature	91.6 M (301 FT)/37.3°C
4	Geoid undulation at ARP	Nil
5	MAG VAR/Annual change	1° W (1956)/annual change negligible
6	AD Administration, address, telephone, telefax, telex, AFS	MC-JALUX AIRPORT SERVICES CO.LTD. Post: Mandalay International Airport MANDALAY DIVISION MYANMAR Tel: 95 2 4027019 Fax: 95 2 4027018 mailto: occ@mjas.com.mm AFTN: VYMDYDYX
7	Types of traffic permitted (IFR/VFR)	IFR/VFR
8	Remarks	Nil

VYMD AD 2.3 OPERATIONAL HOURS

1	AD Administration	H24
2	Customs and immigration	H24
3	Health and sanitation	Health: H24 Sanitation: H24
4	AIS Briefing Office	H24
5	ATS Reporting Office (ARO)	H24
6	MET Briefing Office	H24
7	ATS	H24
8	Fuelling	H24
9	Handling	HS
10	Security	H24
11	De-icing	Nil
12	Remarks	Nil

VYMD AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Main terminal building has 6 aerobridge parking stands (3 for category E and category D aircraft) with a total of 11 remote parking stands.
2	Fuel/oil types	Fuel: JP1, JET, A1 Oil: Nil
3	Fuelling facilities/capacity	4 storage tanks Subterranean fuelling system for 6 contact gates and by bowser for the remote gates.
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	JP1 avbl at price of US\$3.28 per imperial gallon. variable by day

VYMD AD 2.5 PASSENGER FACILITIES

1	Hotels	Numbers of Hotels available in Mandalay city
2	Restaurants	Numbers of restaurants available in Mandalay city
3	Transportation	Taxi services
4	Medical facilities	First aid
5	Bank and Post Office	Bank: Available at airport Post: Available at airport
6	Tourist Office	Nil
7	Remarks	Nil

VYMD AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 9
2	Rescue equipment	CAT 9
3	Capability for removal of disabled aircraft	Nil
4	Remarks	Nil

VYMD AD 2.7 SEASONAL AVAILABILITY — CLEARING

There is no requirement for clearing as the aerodrome is available throughout the year.

VYMD AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength and area	Surface: Concrete Strength: PCN 55/R/A/W/T Area: 610 M x 244 M
2	Taxiway width, surface and strength	Width: 30 M /100 FT Surface: Concrete Strength: PCN 55/R/A/W/T
3	ACL location and elevation	Nil
4	VOR checkpoints	Nil
5	INS checkpoints	Nil
6	Remarks	Nil

VYMW — MAGWAY

*Note: The following sections in this chapter are intentionally left blank:
AD 2.16, AD 2.21, AD 2.22, AD 2.23.*

VYMW AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VYMW — MAGWAY

VYMW AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	200912.90N 0945806.91E
2	Direction and distance from city	6 KM South-West of City
3	Elevation/Reference temperature	90.9 M (298 FT)/26.0°C
4	Geoid undulation at ARP	-46 M
5	MAG VAR/Annual change	1° W (1956)/annual change negligible
6	AD Administration, address, telephone, telefax, telex, AFS	DEPARTMENT OF CIVIL AVIATION Post: Magway airport MAGWAY DIVISION MYANMAR Tel: 95 63 23713 AFTN: VYMWYDYX
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	Nil

VYMW AD 2.3 OPERATIONAL HOURS

1	AD Administration	HO
2	Customs and immigration	HS
3	Health and sanitation	Health: Nil Sanitation: Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office (ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	HO
8	Fuelling	Nil
9	Handling	Nil
10	Security	Nil
11	De-icing	Nil
12	Remarks	Nil

VYMW AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Nil
---	----------------------------------	-----

2	Fuel/oil types	Fuel: Nil Oil: Nil
3	Fuelling facilities/capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

VYMW AD 2.5 PASSENGER FACILITIES

1	Hotels	Nil
2	Restaurants	Nil
3	Transportation	Nil
4	Medical facilities	Nil
5	Bank and Post Office	Bank: Nil Post: Nil
6	Tourist Office	Nil
7	Remarks	Nil

VYMW AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 2
2	Rescue equipment	CAT 2
3	Capability for removal of disabled aircraft	Nil
4	Remarks	Nil

VYMW AD 2.7 SEASONAL AVAILABILITY — CLEARING

There is no requirement for clearing as the aerodrome is available throughout the year.

VYMW AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength and area	Surface: Concrete Strength: 165,000 kg Area: 122 M x 122 M
2	Taxiway width, surface and strength	Width: 351 M x 31 M
3	ACL location and elevation	Nil
4	VOR checkpoints	Nil
5	INS checkpoints	Nil
6	Remarks	Nil

VYPA — HPA-AN

*Note: The following sections in this chapter are intentionally left blank:
AD 2.15, AD 2.16, AD 2.21, AD 2.22, AD 2.23, AD 2.24.*

VYPA AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VYPA — HPA-AN

VYPA AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	165338.29N 0974030.13E Centre of runway centre line
2	Direction and distance from city	4.46 KM from City
3	Elevation/Reference temperature	12.6 M (41 FT)/Nil
4	Geoid undulation at ARP	Nil
5	MAG VAR/Annual change	1° W (1956)/annual change negligible
6	AD Administration, address, telephone, telefax, telex, AFS	DEPARTMENT OF CIVIL AVIATION Post: Hpa-an airport HPA-AN KAYIN STATE MYANMAR Tel: 95 58 21500 AFTN: VYPAYDYX
7	Types of traffic permitted (IFR/VFR)	IFR/VFR
8	Remarks	Nil

VYPA AD 2.3 OPERATIONAL HOURS

1	AD Administration	HO
2	Customs and immigration	Nil
3	Health and sanitation	Health: Nil Sanitation: Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office (ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	
8	Fuelling	Nil
9	Handling	Nil
10	Security	Nil
11	De-icing	Nil
12	Remarks	Nil

VYPA AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Nil
2	Fuel/oil types	Fuel: Nil Oil: Nil
3	Fuelling facilities/capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

VYPA AD 2.5 PASSENGER FACILITIES

1	Hotels	Nil
2	Restaurants	Nil
3	Transportation	Nil
4	Medical facilities	Nil
5	Bank and Post Office	Bank: Nil Post: Nil
6	Tourist Office	Nil
7	Remarks	Nil

VYPA AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 2
2	Rescue equipment	CAT 2
3	Capability for removal of disabled aircraft	Nil
4	Remarks	Nil

VYPA AD 2.7 SEASONAL AVAILABILITY — CLEARING

There is no requirement for clearing as the aerodrome is available throughout the year.

VYPA AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength and area	Surface: Bitumen Strength: 20,412 kg Area: 122 M x 37 M
2	Taxiway width, surface and strength	2 Nos 46 M x 15 M
3	ACL location and elevation	Nil
4	VOR checkpoints	Nil
5	INS checkpoints	Nil
6	Remarks	Nil

VYPU — PAKHOKKU

Note: The following sections in this chapter are intentionally left blank:
AD 2.15, AD 2.16, AD 2.21, AD 2.22, AD 2.23, AD 2.24.

VYPU AD 2.1 AERODROME LOCATION INDICATOR AND NAME

VYPU — PAKHOKKU

VYPU AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	212419.48N 0950640.60E Centre of runway centre line
2	Direction and distance from city	11 KM North of town
3	Elevation/Reference temperature	106.8 M (350 FT)/Nil
4	Geoid undulation at ARP	Nil
5	MAG VAR/Annual change	1° W (1956)/annual change negligible
6	AD Administration, address, telephone, telefax, telex, AFS	DEPARTMENT OF CIVIL AVIATION Post: Pakhokku airport MAGWAY DIVISION Tel: 959 6557086 AFTN: VYPUYDYX
7	Types of traffic permitted (IFR/VFR)	VFR
8	Remarks	Nil

VYPU AD 2.3 OPERATIONAL HOURS

1	AD Administration	HO
2	Customs and immigration	HO
3	Health and sanitation	Health: Sanitation: Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office (ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	HO
8	Fuelling	Nil
9	Handling	HO
10	Security	H24
11	De-icing	Nil
12	Remarks	Nil

VYPU AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Baggage Trolleys / Carts
---	----------------------------------	--------------------------

2	Fuel/oil types	Fuel: Nil Oil: Nil
3	Fuelling facilities/capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

VYPU AD 2.5 PASSENGER FACILITIES

1	Hotels	Numbers of Hotels available in city
2	Restaurants	Available at airport compound
3	Transportation	Taxi service available
4	Medical facilities	Available in city
5	Bank and Post Office	Bank: Available in city Post: Nil
6	Tourist Office	Nil
7	Remarks	Nil

VYPU AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 1
2	Rescue equipment	CAT 1
3	Capability for removal of disabled aircraft	Nil
4	Remarks	Nil

VYPU AD 2.7 SEASONAL AVAILABILITY — CLEARING

There is no requirement for clearing as the aerodrome is available throughout the year.

VYPU AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength and area	Surface: Asphalt Concrete Strength: 68,039 kg Area: 91 M x 91 M
2	Taxiway width, surface and strength	Nil
3	ACL location and elevation	Nil
4	VOR checkpoints	Nil
5	INS checkpoints	Nil
6	Remarks	Nil