

**AD2 AERODROMES****DAON AD 2.1 Aerodrome location indicator and name**

DAON – TLEMCEN / Zenata-Messali El Hadj

**DAON AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	35°00'55"N 001°27'03"W. Intersection TWY D with RWY.
2	Direction and distance from (city)	Located of 11,87 NM South-west from the city of Tlemcen.
3	Elevation/Reference Temperature	248 M/34°C
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR / Annual change	<b>0.9° E(2023) / 0.2°E</b>
6	AD Administration, address, telephone, telefax, Telex, AFS	TLEMCEN AIRPORT Aéroport de TLEMCEN/Zenata-Messali El Hadj/BP50-ZENATA/TLEMCEN Tel: +213 43403149 TWR: +213 43403150 ARO: +213 40 31 50/+213 43 40 32 87 Telefax: +213 43 40 31 37 Telex: NIL AFS: DAONYDYD
7	Type of traffic (IFR/VFR)	IFR/VFR
8	Remarks	NIL

**DAON AD 2.3 OPERATIONAL HOURS**

1	AD administration	0700/1500
2	Customs and immigration	H24
3	Health and sanitation	Presence during the flight hours.
4	AIS briefing office	H24
5	ATS reporting office (ARO)	H24
6	MET briefing office	H24
7	ATS	H24
8	Fueling	H24
9	Handling	Presence during the flight hours.
10	Security	H24
11	De-icing	0700/1500
12	Remarks	NIL

**DAON AD 2.4 HANDLING SERVICES AND FACILITIES**

1	Cargo handling facilities	Assistance company of Air Algeria.
2	Fuel and oil types	JET A1
3	Fueling facilities and capacity	Two (02) trucks/ 400 m <sup>3</sup> /h.
4	De-icing facilities	NIL
5	Hangar space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	Available of Air Algeria.
7	Remarks	NIL

**DAON AD 2.5 PASSENGER FACILITIES**

1	<i>Hotels</i>	In city.
2	<i>Restaurants</i>	In city.
3	<i>Transportation facilities</i>	Taxi.
4	<i>Medical facilities</i>	In city.
5	<i>Bank and Post Office</i>	NIL
6	<i>Tourist office</i>	In city.
7	<i>Remarks</i>	NIL

**DAON AD 2.6 RESCUE AND FIREFIGHTING SERVICES**

1	<i>AD category for firefighting</i>	CAT 7.
2	<i>Rescue equipment</i>	Yes, CAT 7.
3	<i>Capability for removal of disabled aircraft</i>	Crane in city.
4	<i>Remarks</i>	NIL

**DAON AD 2.7 SEASONNAL AVAILABILITY, CLEARING**

1	<i>Type of clearing equipment</i>	Not applicable.
2	<i>Clearance priority</i>	NIL
3	<i>Remarks</i>	NIL

**DAON AD 2.8 APRONS, TWY AND CHECK LOCATIONS**

1	<i>Apron surface and strength</i>	Surface: Bituminous concrete. strength: PCN 75 F/A/W/T
2	<i>Taxiway width, surface and strength</i>	TWY A, B, C, D, E, F, G Width: 25M Surface: Bituminous concrete. Strength: PCN 75 F/A/W/T
3	<i>Altimeter checkpoint location and elevation</i>	Location: NIL Elevation: NIL
4	<i>VOR checkpoints</i>	NIL
5	<i>INS checkpoints</i>	NIL
6	<i>Remarks</i>	NIL

**DAON AD 2.9 MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

1	<i>Use of aircraft stand ID signs, TWY guidelines and visual docking / parking guidance system of aircraft stands</i>	ID signs: YES TWY guidelines: YES Parking guidance system : YES
2	<i>RWY and TWY markings and LGT</i>	RWY Turn pad lights, RWY edge lights, RWY THR lights, RWY end lights. TWY edge lights. RWY designation marking, THR marking, RWY center line marking, aiming point marking, Holding position marking, TWY center line marking, TWY center line marking.
3	<i>Stop bars</i>	Available.
4	<i>Remarks</i>	NIL

**DAON AD 2.10 AERODROME OBSTACLES**

<i>Approach and take-off areas</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>e</i>	<i>f</i>
DAONOB001	Pylon	NIL	HGT 4 M	Marked and LGTD	
DAONOB002	Pylon	350235.90N 0012445.30W	HGT 35 M	Marked and LGTD	
DAONOB003	LOC Antenna	350031.06N 0012823.76W	HGT 3 M	NIL	
DAONOB004	Electrical pylon	350100.35N 0012633.75W	HGT 11 M	NIL	
DAONOB005	Electrical pylon	350107.51N 0012637.37W	HGT 11 M	NIL	

<i>Circling area and at aerodrome</i>					
<i>OBST ID / Designation</i>	<i>OBST type</i>	<i>OBST position</i>	<i>ELEV/HGT</i>	<i>Markings / Type, Color</i>	<i>Remarks</i>
<i>a</i>	<i>b</i>	<i>c</i>	<i>d</i>	<i>e</i>	<i>f</i>
DAONOB006	Pylon	350038.80N 0012719.20W	277/26M	Marked and LGTD	
DAONOB007	Pylon	350039.86N 0012715.50W	278/26M	Marked and LGTD	
DAONOB008	Pylon	350041N 0012711.78W	278/26M	Marked and LGTD	
DAONOB009	Pylon	350042.1N 0012708.07W	278/26M	Marked and LGTD	
DAONOB010	Pylon	350043.07N 0012704.32W	278/26M	Marked and LGTD	
DAONOB011	Pylon	350044.18N 0012700.60W	278/26M	Marked and LGTD	
DAONOB012	Pylon	350044.91N 0012656.73W	278/26M	Marked and LGTD	
DAONOB013	Pylon	350045.67N 0012654.13W	278/26M	Marked and LGTD	
DAONOB014	Pylon	350046.46N 0012651.33W	278/26M	Marked and LGTD	
DAONOB015	Water tower	350034.36N 0012705W	272/23M	LGTD	
DAONOB016	Water tower	350114.22N 0012151.57W	368/60 M	LGTD	
DAONOB017	METEO station	350106.12N 0012643.08W	HGT 5 M	NIL	
DAONOB018	TWR	350044.40N 0012659.10W	279/28 M	Marked and LGTD	
DAONOB019	DVOR/DME antenna	350054.07N 0012646.12W	HGT 11 M	Marked and LGTD	
DAONOB020	NDB antenna	350053.80N 0012720.15W	HGT 14 M	NIL	
DAONOB021	GP Antenna	350056.19N 0012647.13W	262/15 M	Marked and LGTD	

**DAON AD 2.11 METEOROLOGICAL INFORMATION PROVIDED**

1	Associated MET office	METEO station of TLEMCEN.
2	Hours of service: MET office outside hours:	H 24
3	Office responsible for TAF preparation and Periods of validity	Regional Meteorological Directorate ORAN H 24
4	Trend Forecast and Interval of issuance:	METAR 30 minutes – TAF LONG 06 hours.
5	Briefing/consultation provided	Personal
6	Flight documentation and Language(s) used	TAF, METAR, SIGMET, TEMSI et WINTEM Fr/En
7	Charts and other information available for briefing or consultation	SPECIAL, Aerodrome Warning (BMS Aero).
8	Supplementary equipment available for providing information on meteorological conditions	Meteorological sensors: T°, humidity sensor, sonic wind and digital baro scatterometer and rangefinder.
9	ATS units provided with meteorological information	TWR
10	Remarks	NIL

**DAON AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength (PCN) And surface of RWY and SWY	THR coordinates RWY end coordinates THR geoid undulation	THR elevation and Highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
07	070°	2600 x 45	75 F/A/W/T –	350033.94N 0012814.13W	247/NIL
25	250°		Bituminous Concrete	350102.79N 0012637.76W	246/NIL
Slope of RWY-SWY	SWY Dimensions (M)	CWY Dimensions (M)	Strips Dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
-0.04%	NIL	NIL	2800 x 100	NIL	NIL
+0.04%	NIL	NIL	2800 x 100	NIL	NIL

**DAON AD 2.13 DECLARED DISTANCES**

<i>RWY ID designator</i>	<i>TORA (m)</i>	<i>TODA (m)</i>	<i>ASDA (m)</i>	<i>LDA (m)</i>	<i>Remarks</i>
1	2	3	4	5	6
07	2600	2600	2600	2600	NIL
25	2600	2600	2600	2600	NIL

**DAON AD 2.14 APPROACH AND RUNWAY LIGHTING**

<i>RWY Designator</i>	<i>APCH LGT Type LEN INTST</i>	<i>THR LGT Color WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ, LGT LEN</i>	<i>RWY Center Line LGT Length, spacing, color, INTST</i>	<i>RWY edge LGT LEN, spacing, color, INTST</i>	<i>RWY end LGT color, WBAR</i>	<i>SWY LGT LEN (M), Color</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
07	Nil	Green	PAPI 3°	Nil	Nil	2600M, 60M, White, LIL/LIH	Red	Nil	Runway turn pad lights, blue
25	Nil	Green	PAPI 3°	Nil	Nil	2600M, 60M, White, LIL/LIH	Red	Nil	

**DAON AD 2.15 OTHER LIGHTING AND SECONDARY POWER SUPPLY**

1	<i>ABN/IBN location, characteristics and hours of operation</i>	NIL
2	<i>LDI location and lighting Anemometer location and lighting</i>	WDI, LDI: Lighted.
3	<i>TWY edge and centre line lights</i>	TWY edge lights: bleu.
4	<i>Secondary power supply/switch-over time</i>	Two (02) power generators de 400 KVA / 08 seconds.
5	<i>Remarks</i>	NIL

**DAON AD 2.16 HELICOPTER LANDING AERA**

1	<i>Coordinates TLOF or THR of FATO Geoid undulation</i>	NIL
2	<i>TLOF and/or FATO elevation (M/FT)</i>	NIL
3	<i>TLOF and FATO area dimensions, surface, strength, marking</i>	NIL
4	<i>True bearings of FATO</i>	NIL
5	<i>Declared distance available</i>	NIL
6	<i>APP and FATO lighting</i>	NIL
7	<i>Remarks</i>	NIL

**DAON AD 2.17 ATS AIRSPACE**

1	<i>Designation and lateral limits</i>	CTR TLEMCEN Circle of 10 NM radius centered on the ARP (350055N 0012703W).
2	<i>Vertical limits</i>	900M / GND
3	<i>Airspace classification</i>	D
4	<i>ATS unit call sign and Language(s)</i>	TLEMCEN Tour, Fr. En.
5	<i>Transition altitude</i>	1470 M
6	<i>Remarks</i>	NIL

**DAON AD 2.18 ATS COMMUNICATION FACILITIES**

<i>Service designation</i>	<i>Call sign</i>	<i>Channel</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
TWR	TLEMCEN TOUR	119.7 Mhz 118.3 Mhz (a)	H24	NIL

**DAON AD 2.19 RADIO NAVIAGTION AND LANDING AIDS**

<i>Type of aid, MAG VAR, Type of supported OPS (for VOR/ILS/MLS, give declination)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Position of transmitting antenna coordinates</i>	<i>Elevation of DME Transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
DVOR/DME (1°E 2023)	TLM	116.5 Mhz CH 112 X	H 24	350054.07N 0012646.12W	NIL	NIL
LOC25/ILS CAT I (1°E 2023)	LT	109.1	H 24	350031.06N 0012823.76W	NIL	NIL
GP25		331.4 MHZ	H24	350056.19N 0012647.13W		NIL
DME	LT	CH 28X	H24	350056.19N 0012647.13W	262 M	NIL

**DAON AD 2.20 LOCAL AERODROME REGULATIONS**

NIL

**DAON AD 2.21 NOISE ABATEMENT PROCEDURES**

NIL

**DAON AD 2.22 FLIGHT PROCEDURES**

NIL

**DAON AD 2.23 ADDITIONAL INFORMATION**

- Presence of wild animals and birds in the aerodrome.

**DAON AD 2.24 CHARTS RELATED TO AN AERODROME:**

AD - Chart ICAO	AD2 DAON - AD
AOC - ICAO RWY 25	AD2 DAON - AOC1
AOC - ICAO RWY 07	AD2 DAON - AOC 2
IAC - ICAO DVOR/DME RWY 25 CAT C/D	AD2 DAON - IAC1
IAC - ICAO DVOR/DME RWY 25 CAT A/B	AD2 DAON - IAC2
IAC - ICAO ILS or LOC RWY 25 CAT C/D	AD2 DAON – IAC3
IAC - ICAO ILS or LOC RWY 25 CAT A/B	AD2 DAON – IAC4
VAC - ICAO	AD2 DAON – VAC1